

40

11:50
 1936 APR 22 AM 11:50
 PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY

From 1st January, 1936 to 14th January, 1936.

No. 1



International
 Seismological
 Centre

	No.	Date 1936	Phase	Time G.M.T. h. m. s	Period s.	Amplitude		Dis- tance miles	Remarks
						Ae. u cms	An. u cms		
27	1	Jan 2.	P	17-31.45					Recorded at Riverview
			?	17-32.00					
			?	17-32.25					
			PcS	17-35.02					
			S	17-35.50					
			PS	17-36.00					
			SR1	17-38.31					
			2	17-39.35					
			3	17-40.20					
			L	17-41.45					
			caF	18-30.00					
27	2	'3/4	P	22-41.30					Recorded at River- view.
			PR1	22-42.49					
			2	22-42.51					
			3	22-43.00					
			PcP	22-44.00					
			S	22-47.00					
			PcS	22-48.00					
			SR1	12-48.50					
			2	22-49.30					
			3	22-49.50					
			L	22-51.20					
			Max	22-52.35					
			caF	1-25.00					
27	3	"9/10	caP	23-26.00	To				
			Max	23-33.00)					
				23-37.00)					
			caF	0-24.00					
27	4	"13	caP	18-27.00					
			caF	19-21.00					
27	5	"14	caP	4-49.30					
			PR1	5-53.00					
			2	5-54.50					
			3	5-56.11					
			S	5-58.52					
			SR1	5-59.45					
			2	6-4.15					
			?	6-4.50					
			SR2	6-7.45					
			3	6-10.00					
			L	6-14.45					
			caF	7-40.00					

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.



International
Seismological
Centre

From 14th January, 1936, to 20th January, 1936. No. 2.

No.	Date 1936	Phase	Time	Period	Amplitude		Dis- tance	Remarks
			G.M.T.		AE.	AN.		
			h. m. s.	s.	μ cms.	μ cms.	Miles	
27	6 Jan.	14	ca P	14-31.00				Tremor
			ca F	15-32.00				
27	7	14	P	17-49.21				
			PcP	17-49.55				
			S	17-56.45				
			PS	17-57.00				
			SR ₁	18-00.00				
			?	18-00.50				
			?	18- 4.00				
			L	18- 6.00				
			Max	18- 7.00 to 18-10.00				
			ca F	19-35.00				
27	8	15	P	---				
			PR ₁	14-54.40				
			PcP	14-54.55				
			PcS	14-58.50				
			S	14-59.25				
			SP	14-59.35				
			SR ₁	15- 2.10				
			2	15- 3.10				
			3	15- 3.50				
			L	15- 6.15				
			Max	15-10.00		.55		
			ca F	15-50.00				
27	9	15	ca P	17- 2.00				
			ca F	17-25.00				
27	10	16	ca P	7-34.00				
			F	7-53.00				
27	11	20	P	17- 3.47				
			?	17- 4.05				
			?	17- 4.20				
			PcP	17- 5.00				
			PR ₂	17- 5.40				
			3	17- 5.50				
			PcS	17- 8.40				
			S	17- 9.40				
			PS	17- 9.50				
			SR ₁	17-13.00				
			2	17-13.50				
			L	17-16.00				
			ca F	18-35.00				

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 3rd February, 1936 to 15th February. No. 3.



	No.	Date 1936.	Phase.	Time.		Period.	Amplitude		Distance.	Remarks.
				G.	M. T.		Ae	An.		
				h. m. s.		s.	μ cms.	μ cms.	Miles.	
27	12	Feb 3.	caP	4	10	00.				
			caF	4	27	00.				
27	13	" 5.	caP	7	2	00.				
			F	7	27	00.				
27	14	" 6.	caP	4	20	30.				
			F	5	11	00.				
27	15	" 7.	?	9	15	00.				
			e	9	16	20.				
			?	9	16	50.				
			?L	9	33	35.				
27	16	" 8.	caF	10	9	00.				
			P	12	18	25.				
			P	11	18	40.				
			PR ₁	11	19	50.				
			2	11	20	55.				
			S	11	24	25.				
			PcS	11	24	40.				
			SR ₁	11	26	40.				
			2	11	27	25.				
			3	11	28	00.				
			L	11	29	05.				
			Max	11	31	00.				
				11	38	00.				
27	17	" 10	caF	13	20	00.				
			caP	18	24	00.				
			caF	18	55	00.				
27	18	" 12	caP	9	43	00.				
			caF	10	17	00.				
27	19	" 15	iP	12	53	25.				
			PR ₁	12	54	17.				
			2	12	54	35.				
			3	12	54	51.				
			PcP	12	56	00.				
			S	12	58	35.				
			PcS	12	59	35.				
			SR ₁	13	0	25.				
			2	13	1	00.				
			3	13	1	15.				
			L	13	3	00.				
			Max	13	3	00.				
				13	20	00.				
			caF	14	5	00.				

40

1933 MAY 20 AM 11:46

PERTH, WESTERN AUSTRALIA
SEISMOLOGIC STATION, PERTH OBSERVATORY



From February 16th 1936 to February 22nd 1936.
No. 4.

	No.	Date 1936	Phase	Time G.M.T.	Period	Amplitude		Dis- tance	Remarks
						Ae.	An		
				h. m. s.	s.	μ cms	μ cms	Miles	
27	20	Feb. 16	P.	14-32.00					
			S	14-37.00					
			L	14-39.50					
			caF	15-4.00					
27	21	" 21	P	16-4.35				2700	
			PR1	16-6.00					
			2	16-6.30					
			3	16-7.00					
			S	16-10.30					
			SR1	16-12.55					
			2	16-13.50					
			L	16-15.50					
			Max	16-19.00)					
				16-24.00)					
			caF	18-40.00					
27	22	" 22	P	15-39.35				3030	
			PR1	15-41.05					
			2	15-41.42					
			3	15-42.15					
			PcS	15-45.00					
			S	15-45.40					
			PS	15-45.52					
			SR1	15-48.40					
			2	15-49.35					
			?L	15-52.00					
			Max	15-52.00	To 16-00.00				
			caF	18-10.00			3.4		
27	23	" 22	P	19-30.20					
			PR1	19-32.00					
			PcS	19-36.00					
			S	19-36.35					
			PS	19-36.50					
			SR1	19-40.55					
			2	19-42.16					
			3	19-42.50					
			L	19-43.50					
			Max	19-44.00	To		.8		
				20-00.00					
			caF	21-53.00					

3.0
3.5
21.00

PERTH WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY

From February 22nd 1936 to February 29th 1936 No. 5.



	No	Date 1936	Phase	Time G.M.T.	Per- iod	Amplitude		Dis- tance	Remarks
						Ae.	An.		
27	24	Feb 27	caP	h.m.s. 10-9.40	S.	11 cms.	11 cms.	Miles	
			PR1	10-10.15					
			?	10-10.37					
			?	10-11.05					
			PcP	10-12.20					
			S	10-14.10					
			SR1	10-14.25					
			2	10-14.45					
			L	10-17.19					
			Max	10-17.19	to				
				10-24.00			4.35		
27	25	" 28	caF	11-45.00					
			P	11-21.15					
			PR1	11-21.50					
			2	11-22.00					
			3	11-22.10					
			PcP	11-23.55					
			S	11-25.42					
			?	11-26.21					
			SR1	11-27.15					
			2	11-27.35					
			3	11-28.00					
			L	11-29.57					
			Max	11-27.00	20		4.5		
27	26	" 29	caF	17-45.00					
			P	20-34.50					
			PR1	20-35.00					
			S	20-38.40					
			SR1	20-39.25					
			L	20-41.25					
34	27	" 29	caF	21-20.00					
			P	10-32.05					
			S	10-36.00					
			Max	10-37.00	to				
				10-40.00					
			caF	13-10.00					Record on Milne-Shaw ran off edge of the re- cording sheet

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From February 29th to March 22nd. No. 6.

	No.	Date 1936.	Phase.	Time G.M.T. h. m. s.	Period. s.	Amplitude.		Dis- tance. Miles.	Remarks.
						Ae. μ cms	An. μ cms		
27.	28.	Mar 2.	?P ?P PR S PS SR ₁ L Max	3-30-35 3-31-05 3-34-15 3-40-50 3-41-20 3-46-50 3-51-00 to 4-50-00	20"		.1		
27.	29.	" 6.	caF e Max	5-20-00 14-44-35 (14-56-00 15-20-00					
27.	30.	" 11.	caF caP Max	15-55-00 17-19-25 (17-20-50 17-23-00	12"/ 15"		.15		
27.	31.	" 14.	caF caP caF	17-46-00 9-34-00 9-57-00				small	Movement of amplitude.
27.	32.	" 17.	caP e caF	20-5-00. 20-7-00 21-2-00					
27.	33.	" 20.	caP caF	0-26-00 0-40-00				small	Movement of amplitude.
27.	34.	" 20.	eP Max	2-10-35 (2-15-00 2-19-00					
27.	35.	" 22.	caF P PcP PR ₁ 2 PcS S PS SR ₁ 2 ? L Max caF	2-40-00 13-25-25 13-27-00 13-27-05 13-27-55 13-30-55 13-32-00 13-32-15 13-35-20 13-36-25 13-37-00 13-38-35 13-44-00 14-10-00			1.7	3170	

PERTH. WESTERN AUSTRALIA.

SEISMOLOGIC STATION. PERTH OBSERVATORY.

from 27th March, 1936 to 10th April, 1936 No. 7.



	No.	Date 1936	Phase	Time G.M.T.			Amplitude		Dis- tance Miles	Remarks
				h.	m.	s.	Ae. u cms.	An. u cms.		
27	36	Mar. 27	caP	2	13	00				Movement of small amplitude
		" "	caF	2	19	00				
27	37	" 29	caP	20	19	00				
			caF	20	34	00				
27	38	Apr. 1	P	2	17	00				Large E.Q. movement recorded but diffi- cult to decipher due to poor light
			S	2	22	50				
			SS	2	24	55				
			Max	(2-24-00						
				(2-51-00				3.4		
			caF	4	20	00				
27	39	" 1	e	20	19	30				
			e	20	21	40				
			Max	20	28	15		.95		
			caF	21	50	00				
27	40	" 2	? P	6	25	00			2950	recorded at Kew.
			PcS	6	30	30				
			S	6	31	30				
			SR ₁	6	34	20				
			2	6	34	40				
			3	6	35	40				
			?	6	37	00				
			L	6	45	00				
			caF	8	20	00				
27	41	" 5	caP	0	17	00				
			F	0	55	00				
27	42	" 7	caP	2	3	00				
			F	2	20	00				
27	43	" 9	caP	7	44	00				
			caF	8	14	00				
27	44	" 9	?	(16-10-30						
				(16-10-45						
			PR ₁	16	12	30				
			2	16	13	50				
			iS	16	18	20				
			?	16	21	00				
			SR ₁	16	22	35				
			2	16	23	35				
			L	16	37	50				
			Max	16	39	30				
			caF	17	40	00				
27	45	" 10	caP	17	7	00				
			caF	17	26	00				

PERTH, WESTERN AUSTRALIA.



SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 10th April, 1936 to 29th April, 1936. No. 8.

	No.	Date 1936.	Phase.	Time.	Period.	Amplitude.		Dis- tance.	Remarks.
				G.M.T.		Ae.	An.		
				h. m. s.	s.	μ cms.	μ cms.	Miles.	
27.	46.	12 Apr	P	20-59-30.					
			PcP	21-1-50.					
			PR ₁	21-1-10.					
			2	21-2-00.					
			3	21-2-30.					
			S	21-6-00.			2		
			?	21-9-00.					
			SR ₁	21-9-35.					
			L?	21-14-20.			3.6		
			caF	22-40-00.					
27.	47.	15 "	caP	6-14-00.					
			i	6-15-30.			4.35		
			caF	6-40-00.					
27.	48.	18 "	iP	5-15-35.					
			PR ₁	5-17-00.					
			2	5-17-40.					
			S	5-22-15.			2.89		
			SR ₁	5-25-12.					
			i	5-25-22.			2.7		
			i	5-25-40.			3.75		
			L	5-29-15.					
			Max.	(5-30-00					
				(5-46-00.			8.2		
		22 "	No record on Milne-Shaw Seismograph between						
			1h 20 ^m to 2h ^m G.M.T. -- Adjustments.						
27.	49.	28 "	P	Lost in micro seismic movement.					
			eS	5-55-00.			3600.		
			iL	6-3-25.					
			i	6-4-00.					
			Max.	6-5-00.					
				6-14-00.			.9		
27.	50.	28 "	P	13-42-00.					
			PR ₁	13-42-25.					
			PcP	13-45-25.					
			S	13-46-40.					
			L?	13-49-00.					
			caF	14-11-00.					
27.	51.	29 "	caP	(4-31-30.					Felt at Red Hill Station, Onslow.
			caF	(4-37-00.					

40

1936 SEP - 8 - PM 3: 41

International
Seismological
CentrePERTH, WESTERN AUSTRALIA.SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 5th May, 1936

to

20th May, 1936

No. 9.

	No.	Date 1936	Phase	Time		Period	Amplitude		Dis- tance Miles	Remarks						
				G.M.T.			Ae	An.								
				H.	M. S		u cms.	u cms.								
27	52	May 5	eP	19-57-35	}			.55	2060							
			ca	20- 6-00												
			Max	20-16-00												
27	53	" 8	?	9-14-20				.6								
			?	9-16-25												
			?	9-16-45												
			PcS	9-18-15												
			iS	9-20-00												
			SR1	9-21-45												
			2	9-22-10												
			3	9-22-35												
			L	9-23-35												
			caF	9-40-00												
27	54	" 11	?	17-37-50					2900							
			P	17-38-12												
			i	17-42-00												
			i	17-42-40												
			PcS	17-45-05												
			S	17-45-30												
			PS	17-45-50												
			SR1	17-48-40												
			2	17-49-10												
			3	17-49-55												
			L	17-51-25												
			caF	18-50-00												
27	55	" 16	1P	7-24-35							15			.3 .2		
			Max													
			caF	8-15-00												
27	56	" 19	P	20-55-25							(SS)					
			PR1	20-56-00												
			2	20-56-10												
			S	20-59-30												
			SR1	21-00-15												
			caL	21- 2-00												
			caF	22-10-00												
27	57	" 20	P	3-14-31					2550							
			PR1	3-15-45												
			S	3-20-25												
			PcS	3-20-40												
			SR1	3-22-50												
			2	3-23-50												
			L	3-25-40												
			Max	(3-29-00												
				(4-00-00												
			caF	5-00-00												

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 20th May, 1936 to 10th June, 1936.

No. 10.



	No.	Date 1936.	Phase.	Time.		Period.	Amplitude.		Dis- tance. Miles.	Remarks.
				G.M.T.			Ae	An		
				H.	M. S.					
							u cms.	u cms.		
27.	58.	May 23.	eP	19-31-00						
			Max	(18-33-00				.15		
			caF	(19-34-00						
27.	59.	" 24.	caF	19-56-00						
			caP	12-51-00	12					Movement of
			caF	13-00-00						small
27.	60.	" 25.	P	3-16-30					193	amplitude.
			PR	3-17-25						
			PcP	3-19-15						
			S	3-21-00						
			SR ₁	3-21-52						
			PcS	3-22-00						
			L	3-23-15						
			M ₁	3-24-00				2.6		
			2	3-24-40						
27.	61.	" 25.	iP	13-42-35						
			?i	13-45-25						
			?i	13-46-15						
			?L	13-50-30						
				13-51-00	25			.35		
27.	62.	" 27.	caF	14-30-00						
			P?	6-28-10						
			S	6-39-30				.55		
			SR ₁	6-40-15						
			caL	7-00-00						
			caF	8-35-00						L movement
										occurred
										during hour break.
27.	63.	" 28.	caP	19-59-00						
			caF	20-30-00						
27.	64.	Jun 5.	caP	14-50-00						
			i	14-51-20						
			Max	14-52-30	to					
				14-54-00						
			caF	15-25-00						
27.	65.	" 10.	LP	8-30-35						
			PR ₁	8-32-15						
			PcP	8-32-40						
			PR ₂	8-32-50						
			3	8-33-25						
			PcS	8-36-25						
			S	8-36-40						
			SR ₁	8-39-10						
			SR ₂	8-40-12						
			SR ₃	8-40-40						
			L	8-42-00						
			Max	8-43-00	to 8-53-00					
			caF	10-20-00						

PERTH. WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 11th June, 1936

to 6th July, 1936

No. 11.

	No.	Date 1936	Phase	Time G. M. T. h. m. s.	Period s.	Amplitude		Distance Miles	Remarks.
						Ae μ cms.	An. μ cms.		
27	66	June 11	caP	13-12-00	10				
			caF	13-30-00			.2		
27	67	" 12	? P	19- 2-00					
			Max	19- 8-00					
			caF	19-19-00					
27	68	" 13	? e	9- 8-00					
			? e	9-10-00					
			? e	9-11-12			145		
			e	9-14-50					
			caF	9-40-00					
27	69	" 14	caP	0-35-00					
			caF	0-50-00					
27	70	" 16	ca						
			Max	1-10-00			.3		
			caF	1-40-00					
27	71	" 22	caP	11-18-00					
			caF	11-21-00					
27	72	" 30	e P	15-19-50					
			PcP	15-20-00					
			PR1	15-23-05					
			PR2	15-25-05					
			S	15-28-05					
			i	15-28-50					
			i	15-30-10					
			SR1	15-35-00					
			? L	15-44-45					
			? L	15-47-25					
			Max	16- 3-50			1.05		
			caF	17-59-00					
27	73	July 3	i	3-14-00					
			e	3-17-22					
			Max	(3-23-00					
				(3-30-00					
			caF	3-34-00					
27	74	" 5	i	19- 8-40			1		
			Max	(19-11-30					
				(19-19-00					
			caF	20-26-00					
27	75	" 6	caP	18-32-00					
			caF	18-57-00					
									Tremor movement of small amp- litude.

PERTH, WESTERN AUSTRALIA.
SEISMOLOGIC STATION, PERTH OBSERVATORY.
From July 13th. 1936 to August 13th. 1936.

No. 12

	No.	Date 1936	Phase	Time			Amplitude		Dis- tance Miles	Remarks
				G. H. T.			Ae	An.		
				H.	M.	S.	u cms.	u cms.		
27	76	July 13	i	11.	34.	10			9300	
			P ₁	11.	35.	35				
			PR ₂	11.	41.	10				
			3	11.	44.	00				
			4	11.	45.	30				
			PS ₄	11.	49.	30				
			PPS.	11.	50.	00				
			i	11.	51.	00				
			SR 1	11.	54.	45				
			2	11.	59.	25				
			L	12.	11.	45				
			(Max.	12.	13.	00				
			i	12.	22.	00		6.65		
			(Max.	12.	30.	00				
			caF	14.	2.	00				
27	77	"	23 caP	6.	56.	00				
			F	7.	6.	00				
27	78	"	27 caP	20.	20.	00				
			F	20.	20.	00				
27	79	"	28 iP	5.	31.	40			1350	
			S	5.	35.	15				
			L	5.	37.	30				
			Max	5.	39.	00		3.85		
				5.	45.	00				
			caF	6.	40.	00				
27	80	"	28 P	-	-	-				
			PR1	8.	1.	00				
			2	8.	1.	35				
			S	8.	5.	50				
			PcS	8.	6.	00				
			SR1	8.	8.	02				
			L	8.	10.	39				
			Max	8.	12.	00				
				8.	25.	00		2.1		
			caF	9.	4.	00				
27	81	Aug 13	?P	20.	10.	00				
			iP	20.	16.	50		.33		
			caF	21.	8.	00				

E. Q No 2 Should Read 1936 Jan 4/3.

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 17th August, 1936 to 18th September, 1936. No. 13.

	No.	Date 1936.	Phase.	Time G. M. T. h. m. s.	Period. s.	Amplitude.		Dis- tance. Miles.	Remarks.
						Ae μ cms.	An μ cms.		
27.	82.	17 Aug.	caP	14-22-00.	20				
			Max.	(14-23-00.					
				(14-41-00.			.2		
27.	83.	22 "	caF	15-10-10.	20.				
			?P	7-0 -35.					
			S	7-8 -35.					
			SR	7-12-50.					
			L	7-16-35.					
			M ₁	7-19-00.			.67		
			2	7-21-00.					
27.	84.	23 "	caF	8-5-00.					
			P	21-19-55.					
			?S	--					
			L	21-30-00.					
			Max.	21-30-30.					
			caF	23-25-00.					
27.	85.	24 "	caP	22-32-00.					
			i	22-33-35.					
			i Max	22-35-25.			1.25		
27.	86.	28 "	caP	7-00-00.					
			Max	(7-3-00.					
				(7-4-00.					
27.	87.	30 "	caF	7-28-00.					
			caP	17-11-00.					
			caF	17-22-00.					
27.	88.	3 Sep.	caP	12-4-32.					
			F	12-15-00.					
			iP	12-39-00.					
27.	89.	3 "	Max.	12-49-40.					
			caF	13-20-00.					
			caP	8-40-00.					
27.	90.	4 "	caF	9-10-00.					
			caP	17-40-00.					
				18-20-00.					
27.	91.	17 "	caP	1-9-15.	to				
			P	1-10-45.					
			PR ₁	1-11-05.					
			2	1-11-52.					
			3	1-15-25.					
			S	1-15-35.					
			PS	1-18-30.					
			SR ₁	1-19-10.					
			2	1-19-50.					
			3	1-21-00.					
			L	1-21-30.					
			Max	1-34-30.			6.2		
			caF	4-39-00.					

October 4

Sept. 19 to Oct. 29, 1936



International
Seismological
Centre

1937 FEB - 18 - AM 9:10 PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 19th Sep., 1936. to 16th Oct., 1936.

No. 14.

	No.	Date 1936.	Phase.	Time.			Amplitude		Dis- tance. Miles.	Remarks.
				G. M. T.			Ae.	An.		
				h.	m.	s.	u cms	u cms.		
27.	94.	19 Sep.	?	6	49	10.				
			?	6	45	00.				
			?	6	49	00.				
			L	6	50	45.				
			caF	8	28	00.				
27.	95.	25 Sep.	caP	13	52	00.				
			caF	14	24	00.				
27.	96.	3 Oct.	iP	21	56	50.				
			PR ₁	21	58	00.				
			2	21	58	15.				
			S	22	2	07.				
			PcS	22	3	00.				
			SR ₁	22	4	15.				
			2	22	4	50.				
			3	22	5	10.				
			L	22	7	00.				
			Max	22	13	00.				
				22	16	00.			1.8	
			caF	23	12	00.				
27.	97.	4 Oct.	?P	0	3	00.				
			S	0	11	00.				
			e	0	18	00.				
			?L	0	20	30.				
			?L	0	21	25.				
			Max	0	24	00.				
				0	25	00.			.4	
			caF	1	20	00.				
27.	98.	5 Oct.	caP	6	25	00.				
			F	6	37	00.				
27.	99.	5 Oct.	P	9	51	10.			2900	
			S	9	56	50.				
			PcS	9	57	17.				
			SS	9	59	35.				
			Max.	10	00	00.				
			caF	11	20	00.			2.55	
27.	100.	10 Oct.	Pca	3	21	00.				
			caF	4	00	00.				
27.	101.	13 Oct.	Pca	6	51	00.				
			caF	7	8	10.				
27.	102.	14 "	caP	22	35	00.				
				23	20	00.				
27.	103.	16 "	e	12	6	45.				
			i	12	11	00.				
				12	20	00.				
			Max	12	27	00.			.45	
			caF	13	9	00.				

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 16th Oct., 1936 to 29th Oct., 1936.



	No.	Date 1936.	Phase.	Time			Amplitude.		Dis- tance. Miles.	Remarks.
				G. M. T.	Period.	s.	Ae	An		
				h. m. s.			μ cms	μ cms.		
27.	104	Oct. 19.	P	12-10-40.					2260.	
			PP	12-11-39.						
			S	12-15-35.						
			ss	12-17-15.						
			?	12-17-30.						
			?	12-18-00.						
			?	12-19-00.						
			L	12-20-30.						
			caF	13-57-10.						
27.	105	22.	caP	10-15-00.						
			caF	10-49-00.						
27.	106	23.	Continuous movement of				.22 max. amplitude.			
				7-30-00.						
			Max	to						
				7-33-00.						
			Max	8-29-00.						
				8-33-00.						
			caF	9-00-00.						
27.	107	23.	eP	19-35-00.						
			i	19-39-00.						
			Max	19-41-00.	12.			.61		
			caF	20-43-00.						
27.	108	26.	?P	19-40-07.						
			PR ₁	19-40-20.						
			2	19-44-15.						
			S	19-44-50.						
			PcS	19-46-00.						
			SR ₁	19-47-10.						
			2	19-47-35.						
			L	19-49-15.						
			Max	19-51-45.				.25		
				19-54-00.						
			caF	21-30-00.						
27.	109	29.	P	18-48-20.						
			PcP	18-49-30.						
			PR ₁	18-50-25.						
			2	18-51-20.						
			S	18-55-45.						
			PS	18-56-00.						
			SR ₁	18-59-25.						
			2	19- 1-00.						
			L	19- 4-15.						
			Max.	19 -7-30.						
				19-14-00.						
			caF	20-30-00.						

40
1937 MAR 26 PM 3:41

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY

From 29th October, 1936 to 16th November, 1936

No. 16.



	No.	Date 1936	Phase	Time G.M.T. H. M. S.	Period s.	Amplitude		Dis- tance. Miles	Remarks.
						Ae μ. cms.	An μ. cms.		
27	110	Oct 31	P	15-31-00					Movement of small ampli- tude.
27	111	Nov. 1	caF	16-9-00					
			caP	17-13-00					
			caF	17-27-00					
27	112	" 2	P	15-10-40					
			PR	15-13-55					
			S	15-21-00					
			L?	15-21-25			.45		
			L?	15-22-00					
			SR1	15-27-00					
			2	15-31-00					
			3	15-33-25					
			?	15-41-15	30		.25		
27	113	" 2	P	20-57-40					
			PcP	20-58-00					
			PR1	21-00-57					
			2	21-2-40					
			iS	21-7-05					
			PS	21-7-40					
			?	21-11-25					
			SR1	21-12-00			.9		{ Max at 21-24-00
			?	21-16-40					; 22-00-00
			L	21-20-55					25 secs. 7 cms
			caF	23-44-00					
27	114	" 4	caP	7-40-00					
			caF	8-20-00					
27	115	" 4	caP	13-56-00					
			caF	14-20-00					
27	116	" 6	caP	17-46-30					
			caF	18-20-00					
27	117	" 11	caP	10-43-00					
			caF	11-2-00					
27	118	" 13	P?	12-48-40					
			?	12-55-45					
			?S	13-1-30					
			S	13-2-00					
			?	13-7-00					
			caF	15-53-00					
27	119	" 15	caP	22-6-00					
			caF	22-38-00					
27	120	" 16	caP	12-36-00					
			caF	12-49-00					

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY

From November 18th 1936 to December 2nd 1936

No. 17

	No.	Date 1936	Phase	Time G.M.T.	Period,	Amplitude		Dis- tance	Remarks
						Ae.	An.		
				H.M.S	S.	u cms.	u cms.	Miles	
27	121	Nov. 18	? S L caF	0.15.0 0-18-30 0-19-50 0-42-00					
27	122	" 19	P caF	21-30-00 23-40-00					
27	123	" 22	caP	15-6-30	continuous Seismic Movement of small amplitude.				
27	124	" 22	caF caP	16-6-00 18-41-00	continuous Seismic movement. Period 15 secs.				
27	125	" 24	caF eP ? L? ? caF	19-30-00 17-31-25 17-32-25 17-33-00 17-34-25 17-51-00					
27-	126	" 29	?P F Max	10-00-00 - -	Impossible to mark phases on account of overlapping of trace.				
27	127	" 30	caP caF caP caF	17-43-00 18-00-00 22-48-00 23-00-00					
27	128	" 30 Dec. 1	P ? ? ? PcP S SP L Max	23-52-00 23-52-13 23-53-05 23-54-05 23-55-21 23-56-30 23-57-25 23-59-25 23-29-00					
				00-19-00	to		.8		
	129	Dec. 1	caF i	1-26-00 6-27-30			.37		Movement of small amplitude except for impetus of 6-27-30
27	130	" 2	caF caP caF	6-54-00 18-36-00 18-46-00					

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From December 2nd 1936 to December 19th 1936

No. 18.




	No.	Date 1936	Phase	Time G.M.T. H.M.S	Period. s.	Amplitude		Dis- tance. Miles	Remarks
						Ae	An.		
						u cms.	u cms.		
27	131	Dec 3	caP	3-16.00					Movement of small amplitude.
27	132	" 4	caF caP e e Max	4-00.00 22-42.10 22-49.10 22-51.00 22-52.00 23-1.30			17		
27	133	" 5	caF caP caF	00-00.00 14-59.00 15-4.00					Movement of extremely small amplitude.
27	134	" 5	caP	19-20.00					
27	135	" 5	caF caP	19-54.00 23-40.00					
27	136	" 8	caF caP	23-55.00 10-41.00					
27	137	" 8	caF caP	11-5.00 14-14.00					
27	138	" 13	caF caP	14-23.00 16-22.00					
27	139	" 13	caF P iS SP SR1 L Max	16-52.00 21-40.00 21-47.35. 21-48.10 21-51.20 21-55.10 21-58.00	15		.26		
27	140	" 14	caF caP caF	22-8.00 23-10.00 4-18.30 5-00.00					
27	141	" 17	caP	4-11.00 4-37.00					Movements of small amplitude.
27	142	" 17	caP caF	13-59.00 14-30.00					
27	143	" 17	caP	21-32.00 21-49.00					
27	144	" 19	caP caF	10-41.00 11-00.00					Time doubtful

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 19th December, 1936 to 27th December, 1936



Centre

	No.	Date 1936	Phase	Time		Period	Amplitude		Dis- tance Miles	Remarks
				G. M. T.	H. M. S.		Ae. μ cms.	An. μ cms.		
27	145	Dec. 20	caP e Max {	18-34-35 18-38-50 18-41-00 18-45-00					Phase in- tervals correct but time doubt- ful.	
27	146	" 21	ca caP caF	20-4-00 17-50-00 18-8-00						
27	147	" 22	caP caF	20-00-00 21-10-00						
27	148	" 22	P PR ₁ S SR ₁ L Max {	8-38-20 8-40-00 8-44-25 8-46-40 8-51-00 8-52-00 8-59-00						
27	149	" 23	caF e L	9-37-00 6-46-30 6-48-35						
27	150	" 24	caF caP	7-00-00 10-23-00						
27	151	" 24	caF caP	10-40-00 13-36-00						
27	152	" 26/ 27	caF caP caF	14-30-00 23-5-00 2-5-00					Time very approx. due to failure of time recording device. Continuous movement of distance earthquake.	
27	153	" 27	Max caP Max caF	9-00-00 9-8-00 9-9-00 9-22-00	15 15		.35 .2			

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 27th December, 1936 to 31st December, 1936

No. 20.

	No.	Date	Phase	Time G.M.T. h.m.s.	Period s	Amplitude		Dis- tance, Miles	Remarks.
						Ae. μ cms.	An. μ cms.		
13 27	154	Dec. 29	P	14-55-30				3030	
			PR ₁	14-58-00					
			2	14-58-35					
			3	14-58-58					
			PcS	15- 1-30					
			S	15- 2-20					
			PS	15- 2-36					
			SR ₁	15- 5-45					
			2	15- 6-40					
			3	15- 7-25					
			L	15- 9-15					
			M 1	15-12-15			4.3		
			2	15-12-30			4.4		
			3	15-14-15			3.6		
			caF	17-40-00					

PERTH, WESTERN AUSTRALIA.

SEISMOLOGIC STATION, PERTH OBSERVATORY.

From 27th December, 1936 to 31st December, 1936

No. 20.

	No.	Date	Phase	Time G.M.T. h.m.s.	Period s	Amplitude		Dis- tance, Miles	Remarks.
						Ae. μ cms.	An. μ cms.		
13 27	154	Dec. 29	P	14-55-30				3030	
			PR ₁	14-58-00					
			2	14-58-35					
			3	14-58-58					
			PcS	15- 1-30					
			S	15- 2-20					
			PS	15- 2-36					
			SR ₁	15- 5-45					
			2	15- 6-40					
			3	15- 7-25					
			L	15- 9-15					
			M 1	15-12-15			4.3		
			2	15-12-30			4.4		
			3	15-14-15			3.6		
			caF	17-40-00					