


Reykjavik, Lat. $64^{\circ}08'55''$ N. Long. $21^{\circ}57'12''$ W.



International
Seismological
Centre

1944		1944						
No.	Date.	Comp.	Phase	GMT h. m. s.	Period	Amplitude N-S E-W mm mm		Remarks.
1	Jan. 1	NE E NE NE NE	iP i iS L M F	06 17 43 55 18 29 18,9 19,4 06 21,5	s 4,7	2,8	2,0	S-P = 45,6 s
2	Jan. 1	NE NE NE NE	iP iS L M F	06 44 58 45 05 45,2 46,0 06 47		1,3	0,8	
3	Feb. 1	NE NE N E NE E NE NE NE	eP i i e iS eSS i eL M F	03 30 14 31 53 36 09 11 31 37 46 39 04 40,4 45,6 04 42	38,2 26,0	4,7	2,8	Record disturbed by microseisms. Epicenter 41°N31°E (USCGS) Very weak on E-W, but pronounced on N-S
4	Feb. 4	NE N NE NE NE NE NE	iP i iS i eL M F	18 33 05 08 35 39 59 34 04 34,3 18 37	5,2	<0,1 2,0	0,1 4,3	S-P = 29,8 s. Shocks nos 4 and 5 were felt at Akureyri, Húsavík and other places in NE Iceland. Some shocks were also felt there on February 5th, but they were not registered at Reykjavík.
5	Feb. 6	NE E NE NE	iP i iS eL F	17 06 44 07 16 18 49 17 11	5,6	2,0	3,2	P coincides with a minute break S-P = 34 s ca.
6	Feb. 10	E NE N NE	iP iS i eL F	03 20 21 38 51 21 01 03 22		0,7	1,1	P coincides with a minute break S-P = 17s
7	Feb. 18	NE NE NE N E	iP iS? eL M M F	20 03 36 54 04 18 04,7 04,9 20 11		6,5	5,2	S-P' = 18,2 s

1944

No.	Date	Comp	Phase	GMT h. m. s.	Period	Amplitude		Remarks.
						N-S mm	E-W mm	
8	Feb. 18	NE	eP	21 37 00		10,0	11,0	S-P = 19,0s
		NE	iS	19				
		NE	eL	35				
		NE	M	38,0				
			F	21 45				
9	Feb. 18	NE	iP	23 28 14		1,9	1,8	
		NE	iS	43				
		NE	eL	29 12				
			F	23 32				
10	Feb. 19	NE	iP	11 36 20	5,0	45	30	EW stylus went off the paper
		NE	i	30				
		NE	i	33				
		NE	i	37				
		E	eL	36,7				
		N	eL	37,0				
		NE	M	37,3				
			F	11 52				
11	Feb. 19	NE	e	12 21 11		1,0	0,7	
		NE	i	15				
		E	i	36				
		NE	eL	40				
			F	12 26				
12	Feb. 19	NE	iP	13 47 48	4,2	18,7	18,4	in next shock
		E	i	49				
		NE	iS ?	59				
		NE	eL	48 08				
		NE	M	48,9				
			F					
13	Feb. 19	E	i	13 54 52		2,5	3,0	
		NE	iS	55 09				
		N	L	30				
			F	14 01				
14	Feb. 19	E	iP	14 18 00		0,5	1,5	
		NE	iS ?	28				
		NE	L	37				
			F	14 22				
15	Feb. 19	NE	e	14 49 23		4,4	5,2	S coincides with a minute mark
		NE	iS	40				
		NE	L	50 00				
		NE	M	50,4				
			F	14 54				
16	Feb. 19	NE	eP	16 05 14		0,5	0,5	
		NE	e	33				
		NE	L	52				
			F	16 08				
17	Feb. 19	NE	i	16 12 48				
		NE	i	13 05				
			F	16 14				

No	Date	Compe	Phase	GMT			Period s	Amplitude		Remarks
				h.	m.	s.		N-S	E-W	
18	Feb.20	NE	iP	19	32	34	3,0	12,7	16,0	S-P = 9,1 s.
		NE	iS ?			43				
		NE	eL			49				
		NE	i		33	09				
		N	M		33	4				
		E	M		33	7				
19	Feb.20	NE	iP	19	46	01		0,4		
		N	L			25				
20	Feb.20		F	19	49			2,2	2,2	
		NE	iP	19	49	42				
		NE	iS			55				
		NE	i		50	08				
		NE	L			20				
21	Feb.21		F	19	55		4,3	10,0	10,6	Superimposed on L
		NE	iP	00	26	32				
		NE	i			43				
		NE	L			47				
		NE	i		27	00				
		NE	M		27	6				
22	Feb.21		F	00	39		4,9	4,8		Innext shock
		NE	iP	02	34	49				
		NE	iS		35	04				
		N	L			28				
		E	L			43				
		NE	M		36	3				
23	Feb.21		F				0,6	0,5		
		NE	iP	02	38	57				
		NE	L		39	6				
24	Feb.21		F	02	42		2,1	2,1		
		N	iP	03	50	45				
		NE	iS ?			52				
		NE	i		51	04				
		N	i			10				
		NE	L			19				
25	Feb.21	NE	M		51	6	2,8	3,1		
		NE	F	03	54					
		E	iP	05	22	24				
		NE	i			45				
		E	i		23	04				
		NE	L			12				
26	Feb.21	NE	M		23	4	4,8	12,0	14,2	superimposed on L
		NE	F	05	25					
		NE	iP	08	29	44				
		E	i			56				
		N	iS ?		30	04				
		NE	eL			06				
27	Feb.21	NE	i			18	1,0	1,3		
		NE	M		30	7				
		NE	F	08	39					
		NE	eP	09	49	30				
		NE	i			39				
		E	i			53				
27	Feb.21	NE	eL		50	00				
		NE	F	09	52					

No.	Date	Comp	Phase	GMT			Period	Amplitude		Remarks.
				h.	m.	s.		N-S	E-S	
28	Feb. 21	N	iP	11	35	54				
		NE	iS		36	00				
		E	i			04				
		NE	eL			25		1,5	1,7	
			F	11	39					
29	Feb. 21	NE	eP	12	46	14				
		E	i			41				
		NE	iS			49				
		NE	eL		47	06		3,1	2,4	
			F	12	51					
30	Feb. 21	NE	eP	15	21	56				
		E	e		22	05				
		NE	iS			20				
		NE	eL			32				
		N	M		22,7			3,5		
		NE	M		23,2			4,6	6,0	
			F							In next shock
31	Feb. 21	NE	P ?	15	26	32				
		E	i ?		27	09				
		NE	L			15				
		NE	i			38				
		NE	M		28,0		5,0	25,5	>22,5	superimposed on L
		NE	M		28,6			16,1	18,8	E-W stylus went off the paper
			F	15	39					
32	Feb. 21	NE	iP	16	01	54				
		NE	i		02	05				
		NE	L			14		0,6	1,0	
33	Feb. 21		F	16	04					
		NE	eP	16	49	43				
		E	i			58				
		NE	iS		50	03				
		E	i			11				
		NE	eL			16		2,4	3,0	
			F	16	52					
34	Feb. 21	NE	iP	16	53	00				
		NE	i			19				
		NE	L		53,6			1,0	0,7	
			F	16	56					
35	Feb. 21	NE	iP	17	34	14		0,3	0,7	
		NE	i			27				
		NE	iS			32				
		NE	eL		34,9					S coincides with a minute mark.
		NE	M		35,0					
			F	17	46			13,7	>16,0	E-W stylus went off the paper.
36	Feb. 21	NE	eP	18	23	12				Record disturbed by visitors
		NE	i			37				
		NE	eL		24,1			1,1	1,4	
			F	18	27					
37	Feb. 21	NE	iP	19	55	49				
		E	iS		56	10				
		NE	L		56,4					
			F	19	59					

No	Date	Comp	Phase	GMT			Period		Amplitude		Remarks.
				h.	m.	s.			N-S	E-W	
38	Feb.21	NE	eP	20	14	16	4,5		8,0	6,2	
		NE	iS			36					
		NE	i			45					
		E	L		15	02					
		N	L			09					
		NE	M		15,3						
39	Feb.21	NE	eP	20	25		5,2		4,6	4,1	
		NE	i	20	56	45					
		NE	iS		57	03					
		NE	i			12					
		NE	eL			17					
		NE	M		57,5						
40	Feb.21	NE	F		57,8				1,7	2,0	Possibly two shocks
		NE		21	04						
		E	eP	21	27	20					
		NE	i			25					
		NE	i			46					
		NE	i		28	24					
41	Feb.21	NE	L		28,7				0,1	0,2	
		NE	F	21	31						
		NE	i	21	37	03					
		NE	F	21	37,6						
		NE	iP	21	40	36					
		N	i			59					
42	Feb.21	NE	L		41,1				1,7	1,7	
		NE	F	21	44						
		NE	iP	22	33	46					
		NE	L			34,2					
		NE	F								
		NE	iP	22	35	16					
43	Feb.21	NE	i			28			0,3		
		N	L			35,6					
		N	F	22	39						
		NE	i	22	51	13					
		NE	F	22	52						
		NE	eP	23	08	08					
44	Feb.21	NE	i			28			4,6	4,5	
		E	iS			37					
		NE	eL		09,1						
		NE	M		09,2						
		NE	F	23	15						
		NE	eL	23	44	01					
45	Feb.21	NE	i			16			0,9	0,6	In next shock
		NE	i			31					
		NE	eL								
		NE	F								
		NE	i	23	45	12					
		NE	i			42					
46	Feb.21	N	L			59			5,0	4,5	In next shock
		E	L			46 09					
		NE	M			46,2					
		NE	F								
		NE	i	23	45	12					
		NE	i			42					

No	Date	Comp	Phase	GMT			Period	Amplitude		Remarks
				h.	m.	s.		N-S	E-W	
49	Feb.21	NE NE	i L F	23	51	00 30				In next shock
50	Feb.21	NE NE	i L F	23	52	04 30 23 55		1,3	1,0	
51	Feb.22	NE NE N E NE	iP iS L L M F	00	04	51 18 41 53 06,2 00 09		2,2	2,2	
52	Feb.22	E NE	i i F	00	10	48 20 13		0,1	0,3	
53	Feb.22	NE NE NE NE NE	eP iS i L M F	00	33	48 05 22 31 34,8	5,0	6,5	5,5	In next shock
54	Feb.22	NE E NE	i i L F	00	42	15 23 42,8 00 45		0,5	0,2	
55	Feb.22	E NE NE NE	i iS? i L F	00	49	48 11 31 50,6 00 56				
56	Feb.22	N E E	i e i F	01	00	48 52 01 08 01 02		0,3	0,2	
57	Feb.22	E NE	e i F	02	08	04 10 02 10				
58	Feb.22	NE NE N N E NE	iP i iS? L L M F	02	13	25 51 56 14 09 22 14,7	5,7 5,1	10,2	10,5	In next shock
59	Feb.22	NE NE	i L F	02	20	23 20,7 02 23		1,0	1,4	
60	Feb.22	NE E NE NE	iP i eL M F	02	35	05 55 36 10 36,5 02 39		2,0	2,3	

No	Date	Comp	Phase	GMT			Period	Amplitude		Remarks
				h.	m.	s.		N-S	E-W	
61	Feb.22	NE	iP	04	04	04		1,3	1,0	
		NE	i			19				
		NE	iS?			31				
		NE	eL			51				
			F	04	06					
62	Feb.22	NE	i	04	42	07		0,5	0,6	
		NE	i			15				
		NE	L		42,5					
			F	04	44					
63	Feb.22	E	eP	04	51	57		1,7	1,7	
		NE	i		52	19				
		NE	L			31				
		NE	M		53,2					
			F	04	55					
64	Feb.22	NE	i	05	07	03		0,1	0,1	In next shock
			F							
65	Feb.22	NE	iP	05	08	19		2,8	3,1	In minute mark
		NE	iS?			29				
		N	i			38				
		NE	L		08,8					
			F	05	13					
66	Feb.22	E	e	05	14	55		0,1	0,3	
		NE	i		15	00				
			F	05	16					
67	Feb.22	NE	iP	07	35	49		2,4	1,8	
		NE	i			54				
		NE	iS?		36	15				
		NE	L		36,3					
			F	07	41					
68	Feb.22	NE	iP	08	21	43		4,4	5,6	
		N	i		22	01				
		NE	iS?			07				
		NE	eL		22,6					
			F	08	29					
69	Feb.22	E	e	10	18	30		2,1	2,3	
		NE	i			54				
		NE	i		19	06				
		NE	L			24				
			F	10	23					
70	Feb.22	NE	i	10	32	08		0,5	0,4	
		NE	L		32,6					
			F	10	35					
71	Feb.22	E	e	10	59	12		1,7	1,0	
		NE	i			20				
		NE	L			50				
		NE	M	11	00,2					
			F	11	02					
72	Feb.22	E	e	12	13	45		1,4	1,1	
		NE	i		14	04				
		NE	i			10				
		NE	i			17				
		E	i			26				
		NE	L		14,6					
			F	12	17					

No	Date	Comp	Phase	GMT			Period	Amplitude		Remarks.
				h.	m.	s.		N-S	E-W	
73	Feb.22	N E NE	i e L F	12	47	41 44 48 13 50		0,4	0,4	
74	Feb.22	E NE L NE	eP iS? i L F	13	25	45 01 17 26,5 31		1,3	1,3	
75	Feb.22	NE N	e L F	13	45	25 45,9 47		0,5	0,1	
76	Feb.22	NE N	e L F	14	00	37 01 26 03		0,4	0,2	
77	Feb.22	NE E NE	e i L F	15	20	41 46 56 23		0,2	0,3	
78	Feb.22	NE NE NE N NE NE	iP i ? iS i i L F	15	45	15 30 40 47 53 46 06 53		2,2	3,3	
79	Feb.22	NE NE E NE NE NE	eP i i iS i L F	16	06	47 05 10 11 16 07,5 14		3,4	3,4	
80	Feb.22	NE N NE	iP i L F	16	44	29 46 54 48		0,4	0,8	
81	Feb.22	NE	i F	17	01	22 03		0,1	0,2	
82	Feb.22	NE	i F	18	14	06 18 18		0,2	0,3	Probably a series of small shocks.
83	Feb.22	NE	e F	18	25	14 26		0,1	0,1	
84	Feb.22	E NE NE NE	i ? i i L F	18	27	08 25 41 27,9 31		1,0	0,8	

No.	Date	Comp	Phase	GMT			Period		Amplitude		Remarks.
				h.	m.	s.			N-S	E-W	
85	Feb.22	NE	eP	18	32	47					
		E	e		33	10					
		NE	iS			14					
		N	i			24					
		NE	L		33,8				0,5	1,2	
			F	18	36						
86	Feb.22	NE	eP	19	35	40					
		E	i			59					
		NE	iS		36	01					
		NE	i			21					
		NE	L		36,7						
			F	19	39						
87	Feb.22	NE	e	19	49	34			0,1	0,1	
			F	19	51						
88	Feb.22	NE	i	20	21	57				0,5	
		N	L		22	18			0,5		
			F	20	24						
89	Feb.22	NE	eP	22	16	54					
		E	i		17	01					
		NE	L		17,3				0,6	0,9	
90	Feb.22	NE	i	22	18	45					in next shock
		NE	L		19,2				0,7	1,2	
			F	22	22						
91	Feb.23	NE	e	00	30	22				0,3	
		N	L			49			0,3		
			F	00	34						
92	Feb.23	E	e?	00	42	48					
		NE	i		43	03					
		N	i			17					
		E	i			25					
		NE	L		43,6				1,3	1,7	
			F	00	43						
93	Feb.23	E	e?	01	29	44					
		NE	iP			47					
		NE	i			55					
		NE	i			59					
		NE	iS?		30	02					
		NE	i			17					
		N	L		30,4						
		E	L		30,7						
		NE	M		30,8			13,5	16,7		
		NE	M		31,5			9,5	12,0		
			F	01	42						
94	Feb.23	NE	i	03	17	07					
		NE	L		17,5				0,5	0,8	
			F	03	20						

No.	Date	Comp.	Phase	GMT h. m. s.	Period sec.	Amplitude		Remarks.
						N S mm	E-W mm	
95	Feb. 23	NE NE	e L F	03 55 09 55,5 03 58		0,2	0,3	
96	Feb. 23	E NE NE NE	eP i iS? L F	04 06 54 07 13 37 08,2 04 14		0,7	1,8	
97	Feb. 23	E NE E NE NE	eP i i i L F	05 23 23 44 52 24 02 24,2 05 29		1,2	1,6	
98	Feb. 23	NE NE NE	i i L F	06 47 28 52 48,0 06 50		0,7	0,6	
99	Feb. 23	E NE NE	e? i L F	07 04 05 27 04,9 07 09		0,5	0,5	Possibly more than one shock.
100	Feb. 23	E NE NE	e e L F	07 10 59 11 18 12,1		0,2	0,3	In next shock
101	Feb. 23	NE NE N NE	iP? i i L F	07 12 36 13 01 10 13,3 07 17		2,0	2,8	
102	Feb. 23	E NE NE N E NE	eP i i L L M F	07 20 59 21 22 36 41 50 22,5		1,1	1,0	In next shock.
103	Feb. 23	NE NE NE	e i L F	07 25 38 26 01 26,6 07 29				
104	Feb. 23	E NE NE NE NE	eP i iS? i L F	07 47 14 41 47 52 48,1 07 53		2,3	2,8	
105	Feb. 23	NE NE NE NE NE NE	iP i i i iS i	08 27 51 58 28 07 16 21 31				



No.	Date	Comp	Phase	GMT h. m. s.	Period sec.	Amplitude		Remarks.
						N-S mm	E-W mm	
105	Feb. 23	E NE	i L F	08 28 37 28,8 08 35		2,3	3,3	 International Seismological Centre
106	feb. 23	E NE N	e i L F	08 44 56 45 00 46,1 08 48		0,5	0,3	
107	Feb 23	E N NE	e e L F	08 53 08 16 , 54,2 08 56		0,3	0,3	
108	Feb. 23	NE NE	i L F	09 03 12 03,5 09 06		0,7	0,5	
109	Feb. 23	NE NE NE NE NE	iP iS i i L F	09 07 35 08 00 12 20 08,8 08 11		0,7	1,1	
110	Feb. 23	NE N NE	i i L F	09 29 04 19 29,5 09 32		0,7	0,7	
111	Feb. 23	NE N	e L F	10 05 36 07,2 10 09		0,3	0,2	
112	Feb. 23	NE NE NE	i e L F	10 30 51 31 16 31,8		0,3	0,3	
113	Feb. 23	NE N NE NE NE NE	iP i i iS ? i L	10 33 22 31 38 50 34 00 34,5		1,0	1,8	
114	Feb. 23	NE E NE	e i L F	10 39 45 40 08 40,3 10 43		0,5	0,7	
115	Feb. 23	E N	i i F	10 43 07 15 10 45		0,1	0,1	
116	Feb. 23	NE E N NE NE NE	iP i i iS L M F	11 04 22 39 47 50 05,1 05,9 11 12		2,7 2,9	3,2 4,3	

In next shock.

No.	Date	Comp	Phase	GMT h. m. s.	Period sec.	Amplitude		Remarks
						N-S mm	E-W mm	
117	Feb. 23	NE NE	i L F	11 16 27 16,8 11 19		0,2	0,5	
118	Feb. 23	NE N	i L F	11 22 32 23,5 11 25		0,3	0,3	
119	Feb. 23	NE	i F	11 27 11 11 29		0,2	0,2	
120	Feb. 23	NE E NE N NE NE	iP e iS ? i i L F	11 29 31 50 53 30 07 13 30,4 11 33		0,8	1,0	
121	Feb. 23	NE NE NE NE NE	iP i iS ? i L F	11 44 32 55 45 00 14 45,9				In next shock
122	Feb. 23	E NE NE NE	e e i L F	11 48 44 57 49 13 49,5 11 57				Disturbed by previous shock 1116 to 1122 change of pa There are indications of shock in the interval.
123	Feb. 23	E NE NE	e i L F	12 21 48 22 02 22,8 12 26		0,8	0,6	
124	Feb. 23	NE NE NE	i i L F	12 43 20 43 44,1 12 47		0,3	0,3	
125	Feb. 23	NE NE NE	e i L F	12 57 45 58 11 58,5 13 01		1,1	1,4	
126	Feb. 23	E NE NE	e i L F	13 02 45 03 20 03,6 13 07		0,3	0,3	
127	Feb. 23	E NE NE NE	e i i L F	13 10 21 44 51 11,2 13 15		0,5	0,4	Possibly 2 or 3 shocks
128	Feb. 23	E NE NE	e i L F	13 49 35 50 23 50,8 13 54		1,0	1,2	
129	Feb. 23	E NE E NE	eP iS ? i L F	14 13 55 14 21 39 15,0 14 18		1,2	1,4	

No.	Date	Comp.	Phase	GMT			Period	Amplitude		Remarks.
				h.	m.	s.		N-S	E-W	
130	Feb. 23	NE	i F	14	22	41 24	sec.	mm 0,2	mm 0,4	
131	Feb. 23	NE NE	i L F	14	24	59 26,0 29		0,4	0,8	
132	Feb. 23	NE	i L F	14	42	43 43,4 46		0,3	0,5	
133	Feb. 23	NE NE NE NE NE	iP iS i L M F	14	55	21 42 56 03 56,2 56,7	4,5 3,9	1,9 2,2	2,6 3,3	In next shock
134	Feb. 23	NE NE NE	i i L F	14	58	43 53 59,2 02		0,6	0,7	
135	Feb. 23	NE NE	i L F	15	43	06 43,7 45		0,3	0,4	
136	Feb. 23	NE NE NE N NE	eP i iS i L F	16	20	39 21 00 03 15 21,7 24		0,6	0,9	
137	Feb. 23	NE NE NE NE	i iS? i L F	16	24	31 49 25 10 25,3 30		1,5	1,9	
138	Feb. 23	NE NE	i i F	16	33	20 44 35		0,2	0,4	
139	Feb. 23	NE NE N NE	iP iS i L F	16	35	16 42 52 36,2 40		1,4	2,3	
140	Feb. 23	NE NE N NE NE	iP i i i L F	16	49	10 26 48 53 50,0 54		1,9	2,4	In minute mark
141	Feb. 23	NE NE NE NE	i i i L F	16	55	03 30 53 56,0 00		0,8	0,7	
142	Feb. 23	NE N	i i F	18	09	15 50 11		0,2	0,3	



No.	Date	Comp	Phase	GMT h. m. s.	Period sec.	Amplitude		Remarks.
						N-S mm	E-W mm	
143	Feb. 23	NE	i	18 23 04				
		NE	i	26				
		NE	i	49				
		N	L	24,1		0,8	0,3	
			F	18 26				
144	Feb. 23	NE	e	18 49 06				
		NE	L	49,6		0,3	0,4	
			F	18 52				
145	Feb. 23	NE	i	18 54 46				
		NE	i	55 10				
		NE	L	55,5				
			F	18 57		0,2	0,3	
146	Feb. 23	NE	iP	19 10 04				
		N		38				
		NE	i	43				
		NE	L	11,0		0,6	1,1	
			F	19 13				
147	Feb. 23	E	i	19 13 17				
		NE	i	42				
		NE	i	52				
		NE	L	14,1		0,7	1,1	
			F	19 17				
148	Feb. 23	NE	i	19 59 49				
		NE	L	20 00 38		0,2	0,3	
			F					
149	Feb. 23	E	e ?	20 02 16				In next shock
		NE	i	38				
		NE	i	57				
		NE	L	03,2		0,2	0,5	
			F	20 05				
150	Feb. 23	E	i	21 01 14				
		NE	i	40				
		NE	i	50				
		NE	L	02,1		0,3	0,5	
			F	21 03				
151	Feb. 23	NE	i	21 25 31				
		NE	L	26,0		0,4	0,2	
			F					
152	Feb. 23	E	i	21 27 03				
		NE	i	31				
		NE	L	28,0		0,6	0,5	
			F	21 31				
153	Feb. 23	NE	i	21 38 58				
		NE	i	39 26				
		NE	i	36				
		NE	L	40,0		0,5	0,6	
			F					
154	Feb. 23	NE	i	21 41 25				In next shock
		NE	i	37				
		NE	i	48				
		NE	L	42,0		0,8	1,0	
			F	21 45				



No.	Date	Comp.	Phase	GMT			Amplitude		Remarks.
				h.	m.	s.	Period	N-S	
							sec.	mm	mm
155	Feb. 23	NE	e	21	59	23			
		NE	i			45			
		NE	i			53			
		NE	L	22	00,2			0,8	1,7
			F	21	02				
156	Feb. 23	NE	i	22	16	11			
		NE	i			22			
		E	i			25			
		NE	L		17,0			0,4	0,5
			F	22	19				
157	Feb. 23	NE	i	22	55	54			
		E	e		56	06			
		NE	L		56,3			0,2	0,3
			F	22	59				
158	Feb. 23	NE	i	23	17	32			
		E	i		18	01			
		NE	L		18,3			1,0	1,4
			F	23	22				Faulty record on N-S
159	Feb. 23	NE	i	23	44	59			
		NE	L		45,4			0,5	0,6
			F	23	48				
160	Feb. 24	E	e	00	06	50			
		NE	i		07	16			
		NE	i			37			
		NE	L		08,0			0,5	0,7
			F	00	11				
161	Feb. 24	NE	e	00	23	04			
		NE	e			49			
		NE	L		24,0			0,4	0,4
			F	00	27				Possibly two shocks
162	Feb. 24	NE	eP	00	51	41			
		NE	iS ?			58			
		NE	i		52	11			
		NE	L		52,4			0,6	1,1
		N	M		53,1			1,1	
			F	00	54				
163	Feb. 24	NE	i	00	59	05			
		NE	i			26			
		NE	i			44			
		NE	L	01	00,2			0,6	0,8
			F	01	02				
164	Feb. 24	NE	i	02	51	10			
		NE	L		51,9				
			F	02	53				
165	Feb. 24	NE	i	03	00	22			
		NE	L		00,6			0,2	0,7
			F	03	02				
166	Feb. 24	NE	i	04	56	25			
		NE	L		57,0			0,4	0,5
			F	04	59				



No.	Date	Comp.	Phase	GMT h. m. s.	Period sec.	Amplitude		Remarks.
						N-S mm	E-W mm	
167	Feb. 24	NE NE NE	e i L F	05 10 18 43 11,2 05 13		0,4	0,7	
168	Feb. 24	E NE NE NE	iP iS i L F	05 27 02 25 34 28,0 05 33		1,2	0,9	
169	Feb. 24	NE	e L F	06 35 55 36,3 06 38		0,2	0,2	
170	Feb. 24	NE NE NE	e i L F	06 42 58 43 22 43,8 06 44		0,3	0,4	
171	Feb. 24	E E E NE	iP i i L F	08 15 29 55 16 03 16,4 08 20		1,4	1,9	Faulty record on N-S component.
172	Feb. 24	NE N NE	i i L F	09 10 46 56 11,2 09 13				
173	Feb. 24	NE NE NE	i i L F	11 45 31 56 46,1 11 48		0,3	0,6	
174	Feb. 24	NE NE	i L F	13 29 01 29,7 13 31		0,2	0,2	
175	Feb. 24	NE NE NE NE	iP iS i L F	14 49 21 49 34 55 50,1 14 52		0,4	0,8	
176	Feb. 24	E NE NE	i i L F	16 05 12 37 06,3 16 07		0,2	0,6	
177	Feb. 24	NE NE NE NE	iP iS ? i L F	16 36 54 37 47 58 38,2 16 43		0,8	0,8	
178	Feb. 24	NE NE NE	i i L F	17 01 10 40 01,7 17 03		0,6	0,6	



No.	Date	Comp.	Phase	GMT m. s.	Period sec.	Amplitude		Remarks
						N-S mm	E-W mm	
179	Feb. 24	NE NE NE NE	eP e iS L F	17 18 48 19 09 13 19,7 17 22		1,3	2,4	
180	Feb. 24	NE N NE	i i L F	18 06 59 07 06 07,3 18 09		0,3	0,5	
181	Feb. 24	NE N NE	i i L F	19 56 32 54 57,1 19 59		0,3	0,4	
182	Feb. 24	E E NE E NE	e e i i L F	22 14 33 49 58 15 13 15,4 22 18		1,0	1,5	
183	Feb. 24	NE NE NE	i i L F	22 27 57 28 16 28,4 22 31		0,4	0,4	
184	Feb. 25	NE NE NE	i i L F	04 12 59 13 23 13,8 04 15		0,2	0,3	
185	Feb. 25	NE NE NE NE	eP iS ? i L F	04 39 48 40 13 33 40,7 04 43		1,2	1,8	
186	Feb. 25	E NE NE	i i L F	05 50 56 51 00 51,4 05 53		0,2	0,5	
187	Feb. 25	E NE NE	e i L F	06 40 00 18 40,7 06 43		0,7	0,9	
188	Feb. 25	NE NE N NE	iP iS i L F	07 29 13 43 49 30,0 07 32		0,7	1,2	
189	Feb. 25	NE NE NE	e ? i L F	11 08 24 47 09,2 11 11		0,7	0,6	
190	Feb. 25	N NE	i L F	12 11 10 11,7 12 15		0,7	1,0	Faulty record on E-W



No	Date	Comp.	Phase	GMT			Amplitude		Remarks
				h.	m.	s.	N-S	E-W	
							mm	mm	
191	Feb. 25	E NE NE	e i L F	12	26	11 35 27,0 33	0,3		Faulty record on E-W
192	Feb. 25	E E E NE	e i i L F	22	08	30 43 56 09,2 11		0,4	Faulty record on N-S
193	Feb. 25	NE NE NE	i i L F	23	21	07 30 21,9 24		0,8	Faulty record on N-S
194	Feb. 26	E E	i L F	04	24	27 58 27		0,3	Faulty record on N-S
195	Feb. 26	NE NE NE NE	eP iS i L F	10	51	25 47 51 52,2 56	0,6	0,2	
196	Feb. 26	NE E NE NE NE	iP i iS i L F	20	18	26 49 53 58 19,3 26	1,9	2,4	
197	Feb. 26	NE NE E N NE NE	iP iS ? i i L M F	21	03	15 39 45 53 04,1 04,5 09	4,0 3,4	1,4 2,2	3,0 4,7
198	Feb. 26	E E NE	e ? i L F	21	32	43 05 33,5 36	0,5	0,7	Faulty record on N-S
199	Feb. 26	NE N	i i F	22	25	16 47 27	0,2	0,2	
200	Feb. 26	NE NE NE E	iP iS i L F	23	12	28 50 59 13,2 15	0,2	0,7	
201	Feb. 27	E E NE	e i L F	04	49	02 45 50,2 52	0,4	0,7	
202	Feb. 27	NE NE NE NE N	iP iS? i L M F	10	06	41 07 08 13 07,6 08,4 13	4,9 3,5	1,8 2,6	2,9



International
Seismological
Centre

No.	Date	Comp.	Phase	GMT			Period	Amplitude		Remarks
				h.	m.	s.		N-S	E-W	
203	Feb. 27	E	e	21	49	56	sec.	mm	mm	
		NE	i		50	09				
		NE	L		51,0			0,8	0,9	
			F	21	53					
204	Feb. 28	NE	iP	01	51	56				
		NE	i		52	21				
		NE	iS ?			25				
		N	i			41				
		NE	L		52,9			1,8	2,2	
			F	01	59					
205	Feb. 28	NE	iP	12	24	41	4,5	10,0	11,6	
		N	iS			58				
		N	i		25	10				
		NE	L		25,3					
			F	12	34					
206	Feb. 28	E	i	15	49	26		0,2	0,3	
		N	i			32				
		NE	L		50,0					
			F	15	52					
207	Feb. 29	E	e	16	45,1			0,8	0,5	Epicenter 0,5° N, 75,5° E (USCGS)
		N	e	17	00,5					
		NE	eL		15,5					
			F	17	29					
208	Feb. 29	NE	e	20	20	37		0,6	0,5	
		NE	L		21,0					
			F	20	23					
209	Feb. 29	NE	i	20	29	32		0,4	0,5	
		NE	i			53				
		NE	i		30	21				
		NE	L		30,6					
			F	20	33					
210	March 2	NE	iP	12	09	53		2,3 2,6	1,6	Absolute and relative times uncertain due to lack of minute marks.
		NE	i		10	12				
		NE	i			21				
		NE	L		10,7					
		N	M		11,7					
			F	12	19					
211	March 2	NE	iP	13	32	52		0,3	0,7	Absolute and relative times uncertain due to lack of minute marks
		NE	iS		33	14				
		NE	L		33,7					
			F	13	36					
212	March 2	NE	i	22	52	51		0,3	0,3	
		NE	L		53,4					
			F	22	56					
213	March 4	NE	iP	03	40	11		1,6 2,4	1,4	
		N	i			33				
		NE	iS			40				
		NE	L		41,1					
		N	M		41,9					
			F	03	48					
214	March 4	NE	i	03	59	05		0,3	0,4	
		NE	L		59,5					
			F	04	01					



No.	Date	Comp.	Phase	GMT h. m. s.	Period sec.	Amplitude		Remarks.
						N-S mm	E-W mm	
215	March 7	NE NE NE NE N	iP i iS ? L M F	02 32 04 22 31 32,9 33,8 02 39		1,0 1,8	0,8	
216	March 9	N N NE NE	eP e ? eS eL F	22 23 38 28 36 32,9 48,5 23 03				
217	March 9	NE N	eL M	22 38,6 41,5				
218	April 6	NE NE NE NE	iP iS i iL F	12 04 26 49 05 04 21 12 09	3,9	1,2	4,2	
219	May 3	E NE NE E NE	e iP iS i iL F	19 57 18 20 48 52 58 20 00		2,4	5,7	
220	May 3	NE NE N	iP iS iL F	20 16 28 57 17 18 20 20		0,7	0,7	S-P = 29,9 sec.
221	May 3	NE NE N E NE	iP iS ? i i L F	20 31 36 59 32 05 14 32,4 20 36		1,2	1,7	
222	May 3	N NE N NE NE E	iP iS ? i i eL iL F	21 11 51 12 09 14 25 12,6 13,2 21 15		1,3	1,6 1,2	Beginning of E-W unreadable.
223	June 2	NE N NE NE	iP i iS L F	04 52 15 17 19 25 04 55		-0,8 8,0	-1,0 8,5	S-P = 3,8 sec. Felt at Reykjavik
224	June 2	NE	i F	05 02 05 05 03		0,2	0,2	

No.	Date	Comp.	Phase	GMT			Amplitude		Remarks
				h.	m.	s.	N-S	E-W	
							mm	mm	
						sec.			
225	June 3	NE NE	iP iS F	14	42	15 17 43	0,3	0,4	S-P = 1,8 sec.
226	June 3	NE E E E	i i i i F	18	19	15 25 33 39 20	0,2	0,3	Possibly explosions
227	June 3	NE E	i? F i F	20	05	13 06 05 37	<0,1	<0,1 0,2	Possibly explosion Possibly series of explosions.
228	June 12	NE NE	i? i F	23	42	00 04 43	0,2	0,5	
229	June 12	NE	i F	23	43	12 44	0,1	0,1	
230	June 12	NE	i F	23	47	42 48	<0,1	0,1	Doubtful registration on N-S.
231	June 13	E NE	iP iS i F	00	04	47 49 52 05	0,2	0,5	
232	June 13	NE NE	iP iS F	01	07	12 16 08	0,2	0,6	S-P = 3,7 sec.
233	June 13	NE	i F	01	15	35 16	0,1	0,1	
234	June 13	E NE NE	iP iS iL F	01	18	04 08 18,3 19	0,5	1,3	S-P = 3,8 sec.
235	June 16	NE E NE NE NE NE	iP i i i iS? iL F	05	41	01 03 04 07 09 41,2 42,2	1,1	2,6	S-P = 8,5 sec.
236	June 28	E E E E N NE	e eS e eL eL M F	08	14,2	19 12 25,4 29,0 31,0 39,0 09 13	0,3	0,5	Faulty record on N-S Epicenter 14,6°N92,6°E
237	July 10	NE E NE E NE NE NE	iP i i i iS iL M F	06	21	55 22 00 15 18 21 22,7 23,2 30	5,4	9,8	

No.	Date	Comp.	Phase	GMT			Amplitude		Remarks
				h.	m.	s.	N-S	E-W	
238	Sept. 23	N	eP	12	24	09	sec.	mm	Epicenter 53,5°N 160,7°E International Seismological Centre
		NE	eS		32	30			
		NE	eL		42,0				
		E	M		48,3			0,5	
		N	M		49,0		0,2		
			F	13	22				
239	Sept. 27	NE	iL	16	57,3		0,2	0,3	Epicenter 39°N 74°E
			F	17	06				
240	Oct. 6	E	eP	02	41	36	21	0,6	Epicenter 40°N 27°E
		E	ePP ?		43	12			
		NE	eS		47	50			
		NE	ePS		48	45			
		N	eL		52,0				
		E	eL		53,3				
		NE	M		55,4				
			F	03	15				
241	Dec. 7	N	iP	04	48	10	14,1	2,2	Epicenter 33°N 137°E Microseisms disturbing especially on E-W record
		N	ePP		50	57			
		N	e		56	19			
		NE	eS		58	25			
		E	ePS		59	07			
		NE	eSS	05	03,6				
		NE	eSSS ?		06,6				
		NE	eL		14,9				
		N	M		19,7				
		E	M		21,5				
			F	06	36				

NOTE: When there are no signs in front of the numbers in the "Amplitude" column it should be read as $\pm$

Reykjavik, February 23rd 1951

Flýnnur Sigtryggsson